

Package: iimm (via r-universe)

October 8, 2024

Title Improved Inference for Multilevel Models with Few Clusters

Version 0.1

Description Support for inference about linear mixed effects models estimated with 'lmer' from package 'lme4' using a Student's t-distribution with degrees of freedom determined by the m-l-1 heuristic or the Kenward-Roger method.

Maintainer Martin Elff <martin@elff.eu>

Depends R (>= 3.5), lme4, stats, Matrix

Imports memisc, lmerTest, pbkrtest

License GPL (>=3)

Encoding UTF-8

LazyData true

RoxygenNote 6.0.1

Repository <https://melff.r-universe.dev>

RemoteUrl <https://github.com/melff/iimm>

RemoteRef HEAD

RemoteSha 248789c1b722eaa0c2026196f66782875810e756

Contents

lmer_t	2
Index	3

lmer_t	<i>Inference based on a t-distribution for 'lmer' objects.</i>
--------	----------------------------------------------------------------

Description

Function `lmer_t` provides confidence intervals and p-values based on the m-l-1 heuristic, the Satterthwaite and Kenward-Roger methods for models fitted with `lmer`.

Usage

```
lmer_t(object, method = c("Heuristic", "Satterthwaite", "Kenward-Roger"),
       level = 0.95)
```

Arguments

<code>object</code>	an object representing a linear mixed effects model, as returned by <code>lmer</code>
<code>method</code>	a character string that selects the method used to determine the degrees of freedom.
<code>level</code>	a number between 0 and 1, the level of the confidence intervals

Value

The function returns a list with two elements "`lmer`" - the original object - and "`coefTab`" which is a matrix with estimates, standard errors, t-statistics, degrees of freedom, lower and upper confidence intervals, and p-values.

Index

lmer_t, 2